# TO ASSESS MATERNAL AND FETAL OUTCOMES IN PATIENTS WITH HELLP SYNDROME

## IN THE LAST FIVE YEARS(2012-2016)

GEOMOL KURIAN<sup>1</sup>,SHASHIKALA
KARANTH<sup>2</sup>,SHEELA C N<sup>3</sup>,PREETHI VENKITACHALA<sup>4</sup>
1.Postgraduate 2. Associate professor 3 Professor
4 Assistant Professor

### INTRODUCTION

- HELLP syndrome is a progressive and severe variant of pre eclampsia, eclampsia (10-20%)
- Incidence 0.5-0.9% of all pregnancies.
- Maternofetal complications
  - 6.7-70% perinatal mortality and 1-24% maternal mortality.

### CONCLUSION

 The outcome of HELLP syndrome depends on early diagnosis, timely interventions like prompt delivery, transfusion of blood and blood products and a multidisciplinary approach

#### REFERENCES

- 1. WILLIAMS OBSTETRICS-24th EDITION
- 2. CLINICAL STUDY ON HELLP SYNDROME- MATERNAL AND PERINATAL OUTCOME-SOWJANYA KUMARI, BHAVANI-2016
- 3. MATERNAL PERINATAL OUTCOME ASSOCIATED WITH THE SYNDROME OF HEMOLYSIS ELEVATED LIVER ENZYMES AND LOW PLATLETS IN ECLAMPSIA /PRE-ECLAMPSIA-JOPHY JOSE.MHASKAR ARUN- 2004
- 4. STUDY OF HELLP SYNDROME- MATERNAL AND PERINATAL OUTCOME-LAKSHMY NARAYANA KOTA, KAVITHA GARIKAPATI- 2016